

Appendix 2. List of villages sampled and corresponding characteristics along the Tsimane' Territory, Bolivian Amazonia.

Village	Number of informants	Distance to market town (km) †	Old-growth forest (km ²) ‡	Elevation (m.a.s.l.)	Annual precipitation (mm) §	Number of visits by thatch palm traders in the past month	Average measured walking distance to the closest thatch palm grove (km)		Average perceived walking distance to the closest thatch palm grove (km)		Average perceived change of walking distance to the closest thatch palm grove (km)	
							Mean	SD	Mean	SD	Mean	SD
1	53	32.93	6.87	242	1868	6	5.065	0.221	6.074	1.538	4.321	0.234
2	26	38.89	6.81	236	1891	5	6.801	0.297	6.525	1.331	4.695	1.439
3	17	50.43	6.69	241	1912	3	6.641	0.290	6.745	1.521	2.684	1.225
4	21	58.62	5.99	247	1931	5	5.718	0.250	5.330	1.319	2.823	0.648
5	20	68.31	7.02	253	1962	3	4.023	0.176	4.836	1.434	2.964	1.642
6	19	81.85	6.28	259	1991	3	3.874	0.169	4.187	0.593	2.484	1.042
7	13	93.12	6.68	264	2013	3	3.364	0.147	3.960	0.761	2.484	1.188
8	18	99.05	7.30	262	2028	4	2.798	0.122	4.702	2.817	2.611	2.789
9	20	102.80	7.26	267	2042	5	3.837	0.168	4.017	1.432	2.588	1.317
10	20	112.78	7.23	277	2069	4	2.675	0.117	4.797	1.465	3.568	1.351
11	20	114.89	7.29	268	2062	4	1.646	0.072	5.031	1.659	2.164	1.484
12	13	119.45	7.21	270	2074	7	1.208	0.053	5.760	2.161	3.900	2.212
13	45	122.88	7.16	275	2091	4	2.478	0.108	5.383	1.692	4.104	0.266

† Accounting for river meanders; ‡ Estimations based on Landsate imagery for the year 2009, by applying a 5km circular buffer to the center of each community (Luz 2013);

§ Estimations obtained from Worldclim dataset; | Report from the village leader ('*corregidor*') with information triangulated by other 2 village key informants.